LAND APPLICATION SITE

GEORGE W. HANEY

GRGWH 1 - 12

GREENE COUNTY

VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION
FORM D: MUNICIPAL EFFLUENT AND BIOSOLIDS

PART D-VI: LAND APPLICATION AGREEMENT - BIOSOLIDS AND INDUSTRIAL RESIDUALS

A. This land application agreement is made on 5-18-15 between George W. Haney referred to here as "Landowner", and Recyc Systems, Inc , referred to here as the "Permittee". This agreement remains in effect until it is terminated in writing by either party or, with respect to those parcels that are retained by the Landowner in the event of a sale of one or more parcels, until ownership of all parcels changes. If ownership of individual parcels identified in this agreement changes, those parcels for which ownership has changed will no longer be authorized to receive biosolids or industrial residuals under this agreement.

Landowner:
The Landowner is the owner of record of the real property located in Greene Co Virginia, which includes the agricultural, silvicultural or reclamation sites identified below in Table 1 and identified on the tax map(s) attached as Exhibit A.

Table 1.: Parcels authorized to receive biosolids, water treatment residuals or other industrial sludges

Tax Parcel ID	Tax Parcel ID	Tax Parcel ID	Tax Parcel ID
39-A-15			
29-A-9			
39-A-13			

☐ Additional parcels containing Land Application Sites are identified on Supplement A (check if applicable)

Check one: ☒ The Landowner is the sole owner of the properties identified herein.
☐ The Landowner is one of multiple owners of the properties identified herein.

In the event that the Landowner sells or transfers all or part of the property to which biosolids have been applied within 38 months of the latest date of biosolids application, the Landowner shall:

1. Notify the purchaser or transferee of the applicable public access and crop management restrictions no later than the date of the property transfer; and
2. Notify the Permittee of the sale within two weeks following property transfer.

The Landowner has no other agreements for land application on the fields identified herein. The Landowner will notify the Permittee immediately if conditions change such that the fields are no longer available to the Permittee for application or any part of this agreement becomes invalid or the information herein contained becomes incorrect.

The Landowner hereby grants permission to the Permittee to land apply residuals as specified below, on the agricultural sites identified above and in Exhibit A. The Landowner also grants permission for DEQ staff to conduct inspections on the land identified above, before, during or after land application of permitted residuals for the purpose of determining compliance with regulatory requirements applicable to such application.

Class B biosolids	Water treatment residuals	Food processing waste	Other industrial sludges
☒ Yes ☐ No	☒ Yes ☐ No	☒ Yes ☐ No	☒ Yes ☐ No

George W. Haney — Landowner – Printed Name, Title
George W. Haney — Signature
876 Dundee Rd Rockingham VA 434-962-0010 — Mailing Address & Phone Number

Permittee:
Recyc Systems, Inc , the Permittee, agrees to apply biosolids and/or industrial residuals on the Landowner's land in the manner authorized by the VPA Permit Regulation and in amounts not to exceed the rates identified in the nutrient management plan prepared for each land application field by a person certified in accordance with §10.1-104.2 of the Code of Virginia.

The Permittee agrees to notify the Landowner or the Landowner's designee of the proposed schedule for land application and specifically prior to any particular application to the Landowner's land. Notice shall include the source of residuals to be applied.

☐ I reviewed the document(s) assigning signatory authority to the person signing for landowner above. I will make a copy of this document(s) available to DEQ for review upon request. (Do not check this box if the landowner signs this agreement)

Permittee – Authorized Representative Printed Name
Signature
PO Box 562 Remington, Virginia 22734 — Mailing Address

VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION: PART D-VI LAND APPLICATION AGREEMENT

Permittee: Recyc Systems, Inc County or City: Greene Co

Landowner: George W. Hart Haney

Landowner Site Management Requirements:

I, the Landowner, I have received a DEQ Biosolids Fact Sheet that includes information regarding regulations governing the land application of biosolids, the components of biosolids and proper handling and land application of biosolids.

I have also been expressly advised by the Permittee that the site management requirements and site access restrictions identified below must be complied with after biosolids have been applied on my property in order to protect public health, and that I am responsible for the implementation of these practices.

I agree to implement the following site management practices at each site under my ownership following the land application of biosolids at the site:

1. Notification Signs: I will not remove any signs posted by the Permittee for the purpose of identifying my field as a biosolids land application site, unless requested by the Permittee, until at least 30 days after land application at that site is completed.

2. Public Access
   a. Public access to land with a high potential for public exposure shall be restricted for at least one year following any application of biosolids.
   b. Public access to land with a low potential for public exposure shall be restricted for at least 30 days following any application of biosolids. No biosolids amended soil shall be excavated or removed from the site during this same period of time unless adequate provisions are made to prevent public exposure to soil, dusts or aerosols;
   c. Turf grown on land where biosolids are applied shall not be harvested for one year after application of biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by DEQ.

3. Crop Restrictions:
   a. Food crops with harvested parts that touch the biosolids/soil mixture and are totally above the land surface shall not be harvested for 14 months after the application of biosolids.
   b. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after the application of biosolids when the biosolids remain on the land surface for a time period of four (4) or more months prior to incorporation into the soil,
   c. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months when the biosolids remain on the land surface for a time period of less than four (4) months prior to incorporation.
   d. Other food crops and fiber crops shall not be harvested for 30 days after the application of biosolids;
   e. Feed crops shall not be harvested for 30 days after the application of biosolids (60 days if fed to lactating dairy animals).

4. Livestock Access Restrictions:
   Following biosolids application to pasture or hayland sites:
   a. Meat producing livestock shall not be grazed for 30 days,
   b. Lactating dairy animals shall not be grazed for a minimum of 60 days.
   c. Other animals shall be restricted from grazing for 30 days;

5. Supplemental commercial fertilizer or manure applications will be coordinated with the biosolids and industrial residuals applications such that the total crop needs for nutrients are not exceeded as identified in the nutrient management plan developed by a person certified in accordance with §10.1-104.2 of the Code of Virginia;

6. Tobacco, because it has been shown to accumulate cadmium, should not be grown on the Landowner's land for three years following the application of biosolids or industrial residuals which bear cadmium equal to or exceeding 0.45 pounds/acre (0.5 kilograms/hectare).

George W Haney — May 18, 2015
Landowner's Signature — Date

George W Haney — 876 Dundee Rd, Ruckersville, Va 22968
Farm Operator Signature — Mailing Address & Phone Number

434-962-0010

Thomas Farm

Setback Variance Agreement

I am an adjoining property owner to George W. Haney in Greene County, Virginia. I agree to allow George W. Haney to apply biosolids as close to my property as needed when applying biosolids to his property.

(Signed)

John R Thomas

(Printed)

Setback Variance Agreement

I am an adjoining property owner to George W. Haney in Greene County, Virginia. I agree to allow George W. Haney to apply biosolids as close to my property as needed when applying biosolids to his property.

Billy McDaniel

(Signed)

Billy McDaniel

(Printed)

FARM DATA SHEET

SITE NAME:	George W. Haney	**COUNTY:**	Greene
OWNER:	George W. Haney	**OPERATOR:**	George W. Haney
OWNER'S ADDRESS:	876 Dundee Road Ruckersville, VA 22968	**OPERATOR'S ADDRESS:**	876 Dundee Road Ruckersville, VA 22968
OWNER'S TELEPHONE:	434-962-0010	**OPERATOR'S TELEPHONE:**	434-962-0010
GENERAL FARM TYPE:	Hay/ Pasture	**CELL PHONE:**	-
# CATTLE:	60	**EMAIL:**	-
LAGOON or SLURRY:	None	**LATITUDE:**	Fields 1-8 36.294 Fields 9-12 38.288
TOPO QUAD:	Stanardsville and Rochelle	**LONGITUDE:**	Fields 1-8 78.368 Fields 9-12 78.381
COMMENTS:		**METHOD OF DETERMINATION:**	Online Maps

BB

12-7-17

FIELD CHANGES

GEORGE W. HANEY

GREENE CO.

PART OF OLD FIELD 8 IS NOW PART OF FIELD 7.

RECYC SYSTEMS, INC
FIELD DATA SHEET

Field Identification	DEQ Control ID	Gross Acres	Environmentally Sensitive Soils				Hydro Map	Tax Map #	FSA Tract #
			Water Table	Bed Rock/Shallow	Surf/ Leach	Freq Flood			
GRGWH 1	51079-00066-0000	10.0	-	AsD	-	-	RA 26	39-A-15	T 384 F 3
GRGWH 2	51079-00067-0000	13.0	-	-	-	Cs Feb.-May	RA 26	39-A-15	T 384 F 5
GRGWH 3	51079-00068-0000	26.6	Sc Nov.-Apr.	AsD	-	Cs Feb.-May Sc Dec.-May	RA 26	39-A-15	T 384 F 4, 5
GRGWH 4	51079-00069-0000	21.6	Cn Nov.-Apr.	-	-	Cs Feb.-May	RA 26	29-A-9	T 372 F 5
GRGWH 5	51079-00070-0000	24.6	Cn Nov.-Apr. Hb Oct.-May Sc Nov.-Apr.	AsE	-	Cs Feb.-May Hb Oct.-May Sc Dec.-May	RA 26	29-A-9	T 372 F 2, 3, 4, 9
GRGWH 6	51079-00071-0000	35.3	-	AsC, AsD	-	-	RA 26	29-A-9 39-A-15	T 372 F 1, 10
GRGWH 7	51079-00072-0000	22.5	-	AsC, AsD, AsE	-	-	RA 26	39-A-15	T 384 F 1, 2
GRGWH 8	51079-00073-0000	13.6	-	-	-	-	RA 26	39-A-15	T 384 F 2, 4
GRGWH 9	51079-00074-0000	19.1	Cn Nov.-Apr. Hb Oct.-May Kn Nov.-May	AsD	-	Cs Feb.-May Hb Oct.-May	RA 26	39-A-13	T 457 F 2, 4, 5, 8
GRGWH 10	51079-00075-0000	13.8	CgB Dec.-May Kn Nov.-May	AsD	-	-	RA 26	39-A-13	T 457 F 1
GRGWH 11	51079-00076-0000	21.1	Hb Oct.-May Kn Nov.-May	-	-	Hb Oct.-May	RA 26	39-A-13	T 457 F 3
GRGWH 12	51079-00077-0000	16.2	-	-	-	-	RA 26	39-A-13	T 457 F 6
TOTAL ACRES IN SITE		237.4							

8-25-2020

VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION: PART D-VI LAND APPLICATION AGREEMENT

Landowner Coordination Form

This form is used by the Permittee to identify properties (tax parcels) that are authorized to receive biosolids and/or industrial residuals, and each of the legal landowners of those tax parcels. A Land Application Agreement-Biosolids and Industrial Residuals from original signature must be attached for each legal landowner identified below prior to land application at the identified parcels.

Permittee: Recyc Systems, Inc Site Name: George W. Haney

County or City: Greene

Please Print Signature not required on this page

Tax Parcel ID(s)	Landowners (s)
39-A-15	George W. Haney
29-A-9	George W. Haney
39-A-13	George W. Haney

Report Number: 15-142-0554
Account Number: 70594

www.aleastern.com

A&L Eastern Laboratories

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

SOIL ANALYSIS REPORT

Analytical Method(s):
Mehlich 3

Date Received: 05/22/2015 **Date Of Analysis:** 05/25/2015 **Date Of Report:** 05/26/2015

Sample ID / Field ID	Lab Number	Organic Matter %	Organic Matter Rate	ENR lbs/A	Phosphorus Mehlich 3 ppm	Phosphorus Mehlich 3 Rate	Phosphorus Reserve ppm	Phosphorus Reserve Rate	Potassium K ppm	Potassium K Rate	Magnesium Mg ppm	Magnesium Mg Rate	Calcium Ca ppm	Calcium Ca Rate	Sodium Na ppm	Sodium Na Rate	pH Soil pH	pH Buffer Index	Acidity H meq/100g	C.E.C meq/100g
1 GRGWH	10888	8.2	VH	150	124	VH			273	VH	180	L	1958	M			5.7	6.61	3.2	15.2
2 GRGWH	10889	6.3	H	150	170	VH			127	L	153	L	2622	VH			6.7	6.86	0.7	15.4
3A GRGWH	10890	6.5	H	150	187 192	VH			138 134	M	145	L	2557	VH			6.7	6.86	0.7	15.0
3B GRGWH	10892	6.6	H	150	197	VH			129	M	150	L	2743	H			6.5	6.81	1.2	16.5
4 GRGWH	10893	6.0	H	148	308	VH			103	L	173	L	2549	H			6.7	6.86	0.7	15.1

Sample ID / Field ID	Percent Base Saturation K %	Mg %	Ca %	Na %	H %	Nitrate NO_3N ppm	Nitrate Rate	Sulfur S ppm	Sulfur Rate	Zinc Zn ppm	Zinc Rate	Manganese Mn ppm	Manganese Rate	Iron Fe ppm	Iron Rate	Copper Cu ppm	Copper Rate	Boron B ppm	Boron Rate	Soluble Salts SS ms/cm	Soluble Salts Rate	Chloride Cl ppm	Chloride Rate	Aluminum Al ppm
1 GRGWH	4.6	9.9	64.4		21.1					11.7	VH	88	VH											
2 GRGWH	2.1	8.3	85.1		4.5					11.5	VH	80	VH											
3A GRGWH	2.4	8.1	85.2		4.5					10.1	VH	110	VH											
3B GRGWH	2.0	7.6	83.1		7.4					11.2	VH	110	VH											
4 GRGWH	1.7	9.5	84.4		4.5					11.4	VH	63	VH											

Values on this report represent the plant available nutrients in the soil. Rating after each value: VL (Very Low), L (Low), M (Medium), H (High), VH (Very High). ENR - Estimated Nitrogen Release. C.E.C. - Cation Exchange Capacity.

Explanation of symbols: % (percent), ppm (parts per million), lbs/A (pounds per acre), ms/cm (milli-mhos per centimeter), meq/100g (milli-equivalent per 100 grams). Conversions: ppm x 2 = lbs/A, Soluble Salts ms/cm x 640 = ppm.

This report applies to sample(s) tested. Samples are retained a maximum of thirty days after testing.

Analysis prepared by A&L Eastern Laboratories, Inc.

by: Pauric McGroary

Pauric McGroary

Report Number: 15-142-0554
Account Number: 70594

www.aleastern.com

A&L Eastern Laboratories

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

Date Received: 05/22/2015
Date Of Report: 05/26/2015

SOIL FERTILITY RECOMMENDATIONS

Sample ID Field ID	Intended Crop	Yield Goal	Lime Tons/A	Nitrogen N lb/A	Phosphate P_2O_5 lb/A	Potash K_2O lb/A	Magnesium Mg lb/A	Sulfur S lb/A	Zinc Zn lb/A	Manganese Mn lb/A	Iron Fe lb/A	Copper Cu lb/A	Boron B lb/A
1 GRGWH	Adjust pH to 6.8	0	2.5				0			0			
2 GRGWH	Adjust pH to 6.8	0	1.0				0			0			
3A GRGWH	Adjust pH to 6.8	0	1.0				0			0			
3B GRGWH	Adjust pH to 6.8	0	1.0				0			0			
4 GRGWH	Adjust pH to 6.8	0	1.0				0			0			

Comments:

"The recommendations are based on research data and experience, but NO GUARANTEE or WARRANTY expressed or implied, concerning crop performance is made."

Pauric McGroary

Pauric McGroary

Report Number: 15-142-0554
Account Number: 70594

www.aleastern.com

A&L Eastern Laboratories

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

SOIL ANALYSIS REPORT

Analytical Method(s):
Mehlich 3

Date Received: 05/22/2015 **Date Of Analysis:** 05/25/2015 **Date Of Report:** 05/26/2015

Sample ID / Field ID	Lab Number	Organic Matter			Phosphorus				Potassium		Magnesium		Calcium		Sodium		pH		Acidity	C.E.C
		%	Rate	ENR lbs/A	Mehlich 3 ppm	Mehlich 3 Rate	Reserve ppm	Reserve Rate	K ppm	K Rate	Mg ppm	Mg Rate	Ca ppm	Ca Rate	Na ppm	Na Rate	Soil pH	Buffer Index	H meq/100g	meq/100g
5 GRGWH	10894	13.4	VH	150	113	VH			70	L	86	L	1283	H			6.2	6.83	1.0	8.3
6 GRGWH	10895	8.2	VH	150	112	VH			207	VH	186	M	2275	H			6.4	6.80	1.3	14.8
7 GRGWH	10896	6.4	H	150	51	H			331	VH	171	M	1489	M			6.0	6.75	1.8	11.5
8 GRGWH	10897	6.5	H	150	76	H			341	VH	213	M	1637	M			6.0	6.73	2.0	12.8
9 GRGWH	10898	5.4	H	142	125	VH			68	L	129	L	1882	H			6.6	6.86	0.7	11.3

Sample ID / Field ID	Percent Base Saturation					Nitrate		Sulfur		Zinc		Manganese		Iron		Copper		Boron		Soluble Salts		Chloride		Aluminum
	K %	Mg %	Ca %	Na %	H %	NO_3N ppm	NO_3N Rate	S ppm	S Rate	Zn ppm	Zn Rate	Mn ppm	Mn Rate	Fe ppm	Fe Rate	Cu ppm	Cu Rate	B ppm	B Rate	SS ms/cm	SS Rate	Cl ppm	Cl Rate	Al ppm
5 GRGWH	2.2	8.6	77.3		12.2					6.0	H	40	H											
6 GRGWH	3.6	10.5	76.9		8.9					10.6	VH	44	H											
7 GRGWH	7.4	12.4	64.7		15.4					4.5	H	74	VH											
8 GRGWH	6.8	13.9	63.9		15.4					5.5	H	41	H											
9 GRGWH	1.5	9.5	83.3		5.9					8.5	VH	130	VH											

Values on this report represent the plant available nutrients in the soil. Rating after each value: VL (Very Low), L (Low), M (Medium), H (High), VH (Very High). ENR - Estimated Nitrogen Release. C.E.C. - Cation Exchange Capacity.

Explanation of symbols: % (percent), ppm (parts per million), lbs/A (pounds per acre), ms/cm (milli-mhos per centimeter), meq/100g (milli-equivalent per 100 grams). Conversions: ppm x 2 = lbs/A, Soluble Salts ms/cm x 640 = ppm.

This report applies to sample(s) tested. Samples are retained a maximum of thirty days after testing.

Analysis prepared by: A&L Eastern Laboratories, Inc.

by. Pauric McGroary

Pauric McGroary

Report Number: 15-142-0554
Account Number: 70594

www.aleastern.com

A&L Eastern Laboratories
7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

Date Received: 05/22/2015
Date Of Report: 05/26/2015

SOIL FERTILITY RECOMMENDATIONS

Sample ID Field ID	Intended Crop	Yield Goal	Lime Tons/A	Nitrogen N lb/A	Phosphate P_2O_5 lb/A	Potash K_2O lb/A	Magnesium Mg lb/A	Sulfur S lb/A	Zinc Zn lb/A	Manganese Mn lb/A	Iron Fe lb/A	Copper Cu lb/A	Boron B lb/A
5 GRGWH	Adjust pH to 6.8	0	1.3				0			0			
6 GRGWH	Adjust pH to 6.8	0	1.3				0			0			
7 GRGWH	Adjust pH to 6.8	0	1.8				0			0			
8 GRGWH	Adjust pH to 6.8	0	1.8				0			0			
9 GRGWH	Adjust pH to 6.8	0	1.0				0			0			

Comments:

"The recommendations are based on research data and experience, but NO GUARANTEE or WARRANTY expressed or implied, concerning crop performance is made."

Pauric McGroary

Report Number: 15-142-0554
Account Number: 70594

www.aleastern.com

A&L Eastern Laboratories

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

SOIL ANALYSIS REPORT

Analytical Method(s):
Mehlich 3

Date Received: 05/22/2015 **Date Of Analysis:** 05/25/2015 **Date Of Report:** 05/26/2015

Sample ID / Field ID	Lab Number	Organic Matter			Phosphorus				Potassium		Magnesium		Calcium		Sodium		pH		Acidity	C.E.C
		%	Rate	ENR lbs/A	Mehlich 3 ppm	Rate	Reserve ppm	Rate	K ppm	Rate	Mg ppm	Rate	Ca ppm	Rate	Na ppm	Rate	Soil pH	Buffer Index	H meq/100g	meq/100g
10 GRGWH	10899	7.3	VH	150	154	VH			189	H	228	M	3099	VH			7.0		0.0	17.9
11 GRGWH	10900	5.7	H	146	90	H			65	L	105	L	2335	VH			7.4		0.0	12.7
12 GRGWH	10901	5.7	H	145	140	VH			47	VL	99	L	2455	VH			7.1		0.0	13.2

Sample ID / Field ID	Percent Base Saturation					Nitrate		Sulfur		Zinc		Manganese		Iron		Copper		Boron		Soluble Salts		Chloride		Aluminum
	K %	Mg %	Ca %	Na %	H %	NO_3N ppm	Rate	S ppm	Rate	Zn ppm	Rate	Mn ppm	Rate	Fe ppm	Rate	Cu ppm	Rate	B ppm	Rate	SS ms/cm	Rate	Cl ppm	Rate	Al ppm
10 GRGWH	2.7	10.6	86.6		0.0					8.0	H	110	VH											
11 GRGWH	1.3	6.9	91.9		0.0					7.5	H	169	VH											
12 GRGWH	0.9	6.3	93.0		0.0					7.8	H	72	VH											

Values on this report represent the plant available nutrients in the soil. Rating after each value: VL (Very Low), L (Low), M (Medium), H (High), VH (Very High). ENR - Estimated Nitrogen Release. C.E.C. - Cation Exchange Capacity.

Explanation of symbols: % (percent), ppm (parts per million), lbs/A (pounds per acre), ms/cm (milli-mhos per centimeter), meq/100g (milli-equivalent per 100 grams). Conversions: ppm x 2 = lbs/A, Soluble Salts ms/cm x 640 = ppm.

This report applies to sample(s) tested. Samples are retained a maximum of thirty days after testing.

Analysis prepared by: A&L Eastern Laboratories, Inc.

by: Pauric McGroary

Pauric McGroary

Report Number: 15-142-0554
Account Number: 70594

A&L Eastern Laboratories
7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: RECYC SYSTEMS INC
SUSAN TRUMBO
8455 WHITESHOP RD
CULPEPER VA 22701

Grower:
GEORGE W HANEY
GREENE CO

Submitted By: SD
Farm ID:

Date Received: 05/22/2015
Date Of Report: 05/26/2015

SOIL FERTILITY RECOMMENDATIONS

Sample ID Field ID	Intended Crop	Yield Goal	Lime Tons/A	Nitrogen N lb/A	Phosphate P_2O_5 lb/A	Potash K_2O lb/A	Magnesium Mg lb/A	Sulfur S lb/A	Zinc Zn lb/A	Manganese Mn lb/A	Iron Fe lb/A	Copper Cu lb/A	Boron B lb/A
10 GRGWH	Adjust pH to 6.8	0	0.0				0			0			
11 GRGWH	Adjust pH to 6.8	0	0.0				0			0			
12 GRGWH	Adjust pH to 6.8	0	0.0				0			0			

Comments:

Sample(s) : 11 Crop: Adjust pH to 6.8

Cation Exchange Capacity may be over-estimated due to high pH and free lime in the soil.

"The recommendations are based on research data and experience, but NO GUARANTEE or WARRANTY expressed or implied, concerning crop performance is made."

Pauric McGroary

Pauric McGroary

THE PLANNER IS NOT STATE CERTIFIED

Nutrient Management Plan Balance Sheet
(Spring, 2018-Summer, 2020)
George W. Haney
Planner: John Doe

Tract: 372 **Location: Greene**
(N = N based, 1P = P based, 1.5P = P based at 1.5 removal, 0P = No P allowed)

Field CFSA No. /Name	Size (ac) Total/ Used	Yr.	Crop	Needs N-P-K (lbs/ac)	Leg /Man Resid	Manure/Biosld Rate & Type (season)	IT (d)	Man/Bios N-P-K (lbs/ac)	Net = Needs - appld N-P-K (lbs/ac)	Sum P rem cred	Commercial N-P-K (lbs/ac)	Notes	
5/GRGWH 4(0P)	23/23	2018	Grass Pasture	50-0-80	0/0				50-0-80	30			
2, 3, 4, 9/GRGWH 5(N)	22/22	2018	Grass Pasture	50-0-90	0/0				50-0-90	N/A			
1, 10/GRGWH 6(N)	38/38	2018	Grass Pasture	50-0-0	0/0				50-0-0	N/A			

Commercial Application Methods:
br - Broadcast ba - Banded sd - Sidedress

Notes:

Tract: 384 **Location: Greene**

(N = N based, 1P = P based, 1.5P = P based at 1.5 removal, 0P = No P allowed)

Field CFSA No. /Name	Size (ac) Total/ Used	Yr.	Crop	Needs N-P-K (lbs/ac)	Leg /Man Resid	Manure/Biosld Rate & Type (season)	IT (d)	Man/Bios N-P-K (lbs/ac)	Net = Needs - appld N-P-K (lbs/ac)	Sum P rem cred	Commercial N-P-K (lbs/ac)	Notes	
3/GRGWH 1(N)	9/9	2018	Grass Pasture	50-0-0	0/0				50-0-0	N/A			
5/GRGWH 2(1P)	10/10	2018	Grass Pasture	50-0-0	0/0				50-0-0	30			
4, 5/GRGWH 3(1P)	28/28	2018	Grass Pasture	50-0-0	0/0				50-0-0	30			
1, 2/GRGWH 7(N)	24/24	2018	Grass Pasture	50-0-0	0/0				50-0-0	N/A			
2, 4/GRGWH 8(N)	14/14	2018	Grass Pasture	50-0-0	0/0				50-0-0	N/A			

Commercial Application Methods:

br - Broadcast ba - Banded sd - Sidedress

Notes:

Tract: 457 **Location: Greene**
(N = N based, 1P = P based, 1.5P = P based at 1.5 removal, 0P = No P allowed)

Field CFSA No. /Name	Size (ac) Total/ Used	Yr.	Crop	Needs N-P-K (lbs/ac)	Leg /Man Resid	Manure/Biosld Rate & Type (season)	IT (d)	Man/Bios N-P-K (lbs/ac)	Net = Needs - appld N-P-K (lbs/ac)	Sum P rem cred	Commercial N-P-K (lbs/ac)	Notes	
2, 4, 5, 8/GRGWH 9(N)	23/23	2018	Fescue grass hay mt.	70-40-110	0/0				70-40-110	N/A			
1/GRGWH 10(1P)	13/13	2018	Fescue grass hay mt.	90-0-90	0/0				90-0-90	49			
3/GRGWH 11(N)	20/20	2018	Fescue grass hay mt.	70-40-110	0/0				70-40-110	N/A			
5/GRGWH 12(1P)	19/19	2018	Fescue grass hay mt.	70-0-120	0/0				70-0-120	45			

Commercial Application Methods:
br - Broadcast ba - Banded sd - Sidedress
Notes:

Soil Test Summary

Tract	Field	Acre	Date	P2O5	K2O	Lab	Soil pH	Lime Date	rec. lime tons/Ac
372	GRGWH 4	23	2015-Sp	VH (308 P ppm)	M (103 K ppm)	A&L MIII	6.7		
372	GRGWH 5	22	2015-Sp	H+ (113 P ppm)	M- (70 K ppm)	A&L MIII	6.2		
372	GRGWH 6	38	2015-Sp	H+ (112 P ppm)	H+ (207 K ppm)	A&L MIII	6.4		
384	GRGWH 1	9	2015-Sp	H+ (124 P ppm)	VH (273 K ppm)	A&L MIII	5.7		
384	GRGWH 2	10	2015-Sp	VH (170 P ppm)	H- (127 K ppm)	A&L MIII	6.7		
384	GRGWH 3	28	2015-Sp	VH (192 P ppm)	H- (134 K ppm)	A&L MIII	6.6		
384	GRGWH 7	24	2015-Sp	H- (51 P ppm)	VH (331 K ppm)	A&L MIII	6.		
384	GRGWH 8	14	2015-Sp	H (76 P ppm)	VH (341 K ppm)	A&L MIII	6.		
457	GRGWH 9	23	2015-Sp	H+ (125 P ppm)	M- (68 K ppm)	A&L MIII	6.		
457	GRGWH 10	13	2015-Sp	VH (154 P ppm)	H (189 K ppm)	A&L MIII	7.		
457	GRGWH 11	20	2015-Sp	H (90 P ppm)	M- (65 K ppm)	A&L MIII	7.4		
457	GRGWH 12	19	2015-Sp	VH (140 P ppm)	L+ (47 K ppm)	A&L MIII	7.1		

Field Productivities for Major Crops

Tract Name	Tract/ Field	Field Name	Acres	Predominant Soil Series	Corn	Small Grain	Alfalfa	Grass Hay	Environmental Warnings
372	372/5	GRGWH 4	23	Unison	IIa	I	II	II	
	372/2, 3, 4,	GRGWH 5	22	Unison	IIb	II	II	II	
	372/1, 10	GRGWH 6*	38	Elioak	IVb	III	III	III	High Leaching, High Slope
384	384/3	GRGWH 1	9	Elioak	IVb	III	III	III	
	384/5	GRGWH 2	10	Unison	IIb	I	III	II	
	384/4, 5	GRGWH 3	28	Unison	IIb	II	II	II	
	384/1, 2	GRGWH 7	24	Elioak	IVa	III	III	II	
	384/2, 4	GRGWH 8	14	Elioak	IVa	III	III	III	
457	457/2, 4, 5,	GRGWH 9	23	Kinkora	IIIb	III	III	III	
	457/1	GRGWH 10	13	Unison	IIIa	II	III	III	
	457/3	GRGWH 11	20	Unison	IVa	III	Not Suited	IV	
	457/5	GRGWH 12	19	Elioak	IVb	III	III	III	

* Do not apply manure or biosolids more than 30 days prior to planting. Apply commercial fertilizer nitrogen to row crops in split spring applicaions.

Yield Range

Field Productivity Group	Corn Grain Bu/Acre	Barley/Intensive Wheat Bu/Acre	Std. Wheat Bu/Acre	Alfalfa Tons/Acre	Grass/Hay Tons/Acre
I	>170	>80	>64	>6	>4.0
II	150-170	70-80	56-64	4-6	3.5-4.0
III	130-150	60-70	48-56	<4	3.0-3.5
IV	100-130	50-60	40-48	NA	<3.0
V	<100	<50	<40	NA	NA

Farm Summary Report

Plan: **New Plan** **Spring, 2018 - Summer, 2020**

Farm Name: **George W. Haney**
Location: Greene
Specialist: John Doe
N-based Acres: 150.1
P-based Acres: 93.1

Tract Name: **372**
FSA Number: 372
Location: Greene

Field Name: **GRGWH 4**
Total Acres: 23.20 Usable Acres: 23.20
FSA Number: 5
Tract: 372
Location: Greene
Slope Class: B Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
Zero-P
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K		Lab
Sp-2015	6.7	VH(308 P ppm)	M(103 K ppm)	A&L MIII	

Soils:

PERCENT	SYMBOL	SOIL SERIES

12	Cn	Codorus
21	Cs	Comus
14	UnA	Unison
53	UnB	Unison

Field Warnings:

Field Name: **GRGWH 5**
Total Acres: 21.50 Usable Acres: 21.50
FSA Number: 2, 3, 4, 9
Tract: 372
Location: Greene
Slope Class: C Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.2	H+(113 P ppm)	M-(70 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
11	AsE	Ashe
11	Cn	Codorus
17	Cs	Comus
9	Hb	Hatboro
19	Sc	Codorus Suches
26	UnA	Unison
6	UnB	Unison

Field Warnings:

Field Name: **GRGWH 6**
Total Acres: 37.70 Usable Acres: 37.70
FSA Number: 1, 10
Tract: 372
Location: Greene
Slope Class: C Hydrologic Group: C

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.4	H+(112 P ppm)	H+(207 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
15	AsC	Ashe
27	AsD	Ashe
8	ElB	Elioak
47	ElC	Elioak
3	MvB	Meadowville

Field Warnings:
Environmentally Sensitive Soils due to:

Soils with potential for leaching based on soil texture or excessive drainage

Soils with perent slope in excess of 15%

Tract Name: **384**
FSA Number: 384
Location: Greene

Field Name: **GRGWH 1**
Total Acres: 9.40 Usable Acres: 9.40
FSA Number: 3
Tract: 384
Location: Greene
Slope Class: C Hydrologic Group: C

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	5.7	H+(124 P ppm)	VH(273 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
13	AsD	Ashe
27	DkC3	Dyke
58	ElC	Elioak
2	EnC3	Elioak

Field Warnings:

Field Name: **GRGWH 2**
Total Acres: 10.20 Usable Acres: 10.20
FSA Number: 5

Tract: 384
Location: Greene
Slope Class: B Hydrologic Group: C

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
P-based(1.0)
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.7	VH(170 P ppm)	H-(127 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
11	Cs	Comus
7	DkC3	Dyke
4	EnC3	Elioak
29	UnA	Unison
49	UnB	Unison

Field Warnings:

Field Name: GRGWH 3
Total Acres: 27.50 Usable Acres: 27.50
FSA Number: 4, 5
Tract: 384
Location: Greene
Slope Class: B Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
P-based(1.0)
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.6	VH(192 P ppm)	H-(134 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
1	AsD	Ashe
13	Cs	Comus
8	DkC3	Dyke
14	EnC3	Elioak
20	Sc	Codorus Suches
38	UnA	Unison
5	UnB	Unison

Field Warnings:

Field Name: GRGWH 7

Total Acres:	23.60	Usable Acres:	23.60
FSA Number:	1, 2		
Tract:	384		
Location:		Greene	
Slope Class:	C	Hydrologic Group:	C

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary

N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.0	H-(51 P ppm)	VH(331 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
15	AsC	Ashe
5	AsD	Ashe
1	AsE	Ashe
21	EIB	Elioak
39	EIC	Elioak
6	EnC3	Elioak
13	MvB	Meadowville

Field Warnings:

Field Name: **GRGWH 8**
Total Acres: 14.40 Usable Acres: 14.40
FSA Number: 2, 4
Tract: 384
Location: Greene
Slope Class: C Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab

Sp-2015	6.0	H(76 P ppm)	VH(341 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
40	DkC3	Dyke
60	ElC	Elioak

Field Warnings:

Tract Name: 457
FSA Number: 457
Location: Greene

Field Name: GRGWH 9
Total Acres: 23.40 Usable Acres: 23.40
FSA Number: 2, 4, 5, 8
Tract: 457
Location: Greene
Slope Class: B Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	6.0	H+(125 P ppm)	M-(68 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
7	AsD	Ashe

4	Cn	Codorus
24	Cs	Comus
3	EnC3	Elioak
4	Hb	Hatboro
36	Kn	Kinkora
12	MvB	Meadowville
4	UnA	Unison
7	UnB	Unison

Field Warnings:

Field Name: GRGWH 10

Total Acres: 12.80 Usable Acres: 12.80
FSA Number: 1
Tract: 457
Location: Greene
Slope Class: B Hydrologic Group: C

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
P-based(1.0)
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	7.0	VH(154 P ppm)	H(189 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
3	AsD	Ashe
3	CgB	Chatuge
8	Kn	Kinkora
86	UnB	Unison

Field Warnings:

Field Name: **GRGWH 11**
Total Acres: 20.10 Usable Acres: 20.10
FSA Number: 3
Tract: 457
Location: Greene
Slope Class: B Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
N-based
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	7.4	H(90 P ppm)	M-(65 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
5	EnC3	Elioak
9	EnD3	Elioak
22	Hb	Hatboro
29	Kn	Kinkora
28	UnA	Unison
8	UnB	Unison

Field Warnings:

Field Name: **GRGWH 12**
Total Acres: 19.40 Usable Acres: 19.40
FSA Number: 5

Tract: 457
Location: Greene
Slope Class: C Hydrologic Group: D

Riparian buffer width: 0 ft
Distance to stream: 0 ft

Conservation Practices:
Pasture (>75% cover)

P-Index Summary
P-based(1.0)
Phosphorus Limit method: Phosphorus Environmental Threshold (PET) method

Soil Test Results:

DATE	PH	P	K	Lab
Sp-2015	7.1	VH(140 P ppm)	L+(47 K ppm)	A&L MIII

Soils:

PERCENT	SYMBOL	SOIL SERIES
23	ElB	Elioak
68	EnC3	Elioak
10	EnD3	Elioak

Field Warnings:

MAPS

Recyc Systems™ Inc.

(Biosolids Land Application)



Scale: 1"= 2 miles

GRGWH 1-12

12-7-17

VICINITY MAP

N

Recyc Systems™ Inc.

(Biosolids Land Application)



Scale: 1"= 1 mile

GRGWH 1-12

12-7-17

VICINITY MAP

N

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

Vicinity Map

1 in = 2 miles

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Vicinity Map

1 in = 1 miles

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Tax Map

1 in = 2,000 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Tax Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Tax Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



N

12-7-17

Tax Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Tax Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Tax Map

1 in = 660 feet

ADJOINING LANDOWNERS

George W. Haney

GREENE COUNTY

Tax Map	Parcel #	Owner Name(s)
29-A	5B	Walter Reid and Patsy P. Haney
	7	Cemetery
	8	George E. Haney
	11	Travis Dale and Emogene Baugher
	12	James A. and Patricia Henshaw
39-A	2A	Harold W. and Carolene S. Johnson
	2C	Mary Ann Newbill Burke Trustee of Mary Ann Newbill Burke Rev. Trust
	2D	Mary Ann Newbill Burke Trustee of Mary Ann Newbill Burke Rev. Trust
	2E	Mary Ann Newbill Burke Trustee of Mary Ann Newbill Burke Rev. Trust
	7A	Henry Jr. and Arlene McDaniel
	12	William E. McDaniel
	12A	Kathryn M. and Rodney A. Brunelle
	14	Kathryn Thomas
	14A	Kathryn Thomas
	16	Parrott Property LLC c/o Fried Companies Inc.
40-A	1	Charles R. Lamb

MADISON COUNTY

54	12A	Monsalvat LLC
	13	Philip A. Sansone
	14	Alexandra Britton Littlehales
	14A	Sevenoaks Pathwork Center Inc.
61	1	Alexandra Britton Littlehales

Recyc Systems Inc.

George W. Haney GRGWH



N

12-7-17

Frequently Flooded

Soil Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

Frequently Flooded

N

Soil Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



N

12-7-17

Frequently Flooded

Soil Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



Field Id	Gross Acres
GRGWH 1	10.0
GRGWH 2	13.0
GRGWH 3	26.6
GRGWH 4	21.6
GRGWH 5	24.6
GRGWH 6	35.3
GRGWH 7	22.5
GRGWH 8	13.6
GRGWH 9	19.1
GRGWH 10	13.8
GRGWH 11	21.1
GRGWH 12	16.2
TOTAL	237.4

N

12-7-17

Aerial Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



Field Id	Gross Acres
GRGWH 1	10.0
GRGWH 2	13.0
GRGWH 3	26.6
GRGWH 4	21.6
GRGWH 5	24.6
GRGWH 6	35.3
GRGWH 7	22.5
GRGWH 8	13.6
GRGWH 9	19.1
GRGWH 10	13.8
GRGWH 11	21.1
GRGWH 12	16.2
TOTAL	237.4

N

12-7-17

Aerial Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



Field Id	Gross Acres
GRGWH 1	10.0
GRGWH 2	13.0
GRGWH 3	26.6
GRGWH 4	21.6
GRGWH 5	24.6
GRGWH 6	35.3
GRGWH 7	22.5
GRGWH 8	13.6
GRGWH 9	19.1
GRGWH 10	13.8
GRGWH 11	21.1
GRGWH 12	16.2
TOTAL	237.4

N

12-7-17

Aerial Map

1 in = 660 feet

USDA UNITED STATES DEPARTMENT OF AGRICULTURE

N

FSN 769 Tract 384
George Haney

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

USDA UNITED STATES DEPARTMENT OF AGRICULTURE

FSN 768 Tract 372
George Haney

N

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

USDA UNITED STATES DEPARTMENT OF AGRICULTURE

FSN 770 Tract 457
George Haney

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.

Legend For Site Plan

Symbol	Feature	Minimum Setback
	House and Well	200 feet from occupied dwelling * 100 feet from water supply wells or springs
	Well or Spring	100 feet from water supply wells or springs
	Streams or Surface Water	35 feet with 35 foot vegetated buffer 100 feet without vegetated buffer
	Wet Spot	
	Trees and Woods	
	Private Drive	
	Rock Area/Rock Outcrop	25 feet from rock outcrops 50 feet from limestone rock outcrops
	Severely Eroded Spot	18 Inch minimum depth of soil
	Sink Hole	100 feet from open sinkholes 50 feet from closed sinkholes
	State Road	10 feet from side of roadway
	Fence / Field Boundary	
	Property Line	100 feet from property line *
	Slope	15% maximum
	Hashed out Area	No application

*Buffer can be reduced or waived upon written consent from landowner.

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Site Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Site Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



12-7-17

N

Site Map

1 in = 660 feet

Recyc Systems Inc.

George W. Haney GRGWH



N

12-7-17

Topographic Map

1 in = 2,000 feet